
#### Bitumen Sealings

A 100 % Finnish company whose sealing strips and PMB bitumens are produced at its own factory in Vihti. These quality products sold for professional use in both Finland and as foreign exports.

## Sealing Strips & PMB Bitumens

Domestically Produced and Hugely Popular – with Over 40 Years of Experience!



### The TOP Rubber Bitumen Sealing Tape



For the manhole ring joints in concrete wells

For the joints of concrete elements and pipes

For the ring gaps in inspection and rainwater wells

For the seams in district heating elements

- · A sealed ring well can withstand both internal and external water pressure as well as the movements of freezing soil
- Waterproof and chemically resistant seams
- Allows more variations in ring sizing than other sealing methods
- Very easy and quick to install in both summer and winter conditions

Standard Profiles Per Box

20 x 20 mm	14 m
30 x 25 mm	11 m
50 x 10 mm	14 m
50 x 10 mm	3.5 m

**Prompt** service and quick deliveries!

### Our extremely popular, soft and adhesive sealing strip!



For concrete element joints

Flexible and elastic

Elastostrip is designed to seal all types and sizes of joints in precast concrete manholes, box culverts, inspection chambers, pipes ect.

Standard Profiles	Per Box	Total
18 x 18 mm	10 x 3.5 m	35 m
20 x 20 mm	9 x 4 m	36 m
25 x 20 mm	8 x 4 m	32 m
30 x 22 mm	7 x 3.5 m	24.5 m
40 x 25 mm	5 x 3 m	15 m
38 x 32 mm	5 x 2.5 m	12.5 m
60 x 12 mm	4 x 6 m	24 m
80 x 12 mm	3 x 6 m	18 m
120 x 12 mm	2 x 6 m	12 m





#### **The Elasto Sealing**

• A bitumen sealing for the seams of traditional district heating concrete elements

Standard Profile	Total
25 x 20 mm	42 m

#### **The Joule Primer**

- Improves the adhesion of bituminous strips to concrete and asphalt
- 600 ml spray bottle

#### 3 Angular Bitumen Fillet

For building walls

#### For the gaps between the building and asphalt-paved yard



- A rubber bitumen seal with a triangular profile
- To be installed with gas flame
- Flexible enough to stand the thermal movements of different seasons
- Waterproof and flexible seals for building walls: There is often a gap between the asphalt-paved yard and the building's plinth which can let rainwater run down the building's wall.


This gap will collect detritus, and also allow grasses to grow.

Standard Profiles	Per Box	Total
30 x 30 mm	28 pcs x 1.1 m	30.8 m
40 x 40 mm	17 pcs x 1.1 m	18.7 m
50 x 50 mm	8 pcs x 1.1 m	8.8 m

Available in two different grades: the normal grade Fillet, and the brand-new special grade

#### Fillet GOLD

- extra soft and flexible
- Arctic-proof quality



#### **TRIABIT Bitumen cant strip**

- Rounding corners under bitumen waterproofing membrane on roofs and bridges.
- · Hard grade.

Standard Profiles	Per Box	Total
30 x 30 mm	28 pcs x 1.1 m	30.8 m
40 x 40 mm	17 pcs x 1.1 m	18.7 m
50 x 50 mm	8 pcs x 1.1 m	8.8 m



### The Stonex Glue Strip for Kerbs

• For gluing concrete kerbstones to asphalt pavement

Standard	Per Box	Total
3 x 100 mm	3 x 17 m	51 m



- For blocking water leaks, patching gaps and holes, and reinforcing rusted sheet metal
- Rubber bitumen makes the tape stretchy and flexible
- Bitumen adheres to surfaces when the tape is heated

Standard	Per Box	Total
3 x 120 mm	3 x 17 m	51 m
4 x 115 mm	3 x 12 m	36 m
4 x 40 mm		8 m

#### Bitumen Sealings Oy's

### Joule PMB Bitumens



# The Joule Silta KB N2



- EN 14188-1, 2005
- EN 14023, 2010
- PMB 40/100-80
- A SILKO-approved heat-applied sealing compound, compound type N2
- Bridge repair and renovate material

Siliconised Box	Per Pallet	Total
16 kg	49 boxes	784 kg



#### The Joule Kumibitumi KB

- · For cracks in asphalt and for gluing roofing felts
- High flexibility and excellent recovery
- Meets quality requirements in classes
  PMB25/55-80 and KB 100/40

Siliconised Box	Per Pallet	Total
16 kg	49 boxes	784 kg



#### **The Joule Seam Bitumen SB**

- A polymer bitumen developed for sealing
- · For sealing asphalt cracks in yards and car parks

Siliconised Box	Per Pallet
16 kg	49 boxes



#### **The TSM TOP Seaming Compound**

- PMB25/55-70
- For sawing grooves in asphalt and seams in concrete
- For sawing grooves in traffic light sensor loops

Siliconised Box	Per Pallet	Total
20 kg	49 boxes	980 kg